

POLYGARD®



Miswa Chemicals Ltd

SPECIALISTS IN QUALITY LUBRICANTS

Guaranteed Performance

UltreX



EXCELLENCE IN ENGINE PROTECTION





WHY CHOOSE

POLYGARD[®]

Guaranteed Performance

UltreX

Unparalleled Quality:

Our Lubricants are crafted using the finest base oils and advanced additives, providing superior protection against wear, friction, and thermal breakdown. Trust in our products to keep your engine running smoothly and efficiently.

Engine Performance:

With UltreX Lubricants, experience enhanced engine performance and power. Our formulations optimize engine cleanliness, reduce deposits, and improve fuel economy, ensuring peak performance on every drive.

Extended Engine Life:

Our Lubricants are engineered to safeguard your engine against harmful contaminants and minimize wear. By reducing friction and maintaining proper lubrication, UltreX Lubricants motor oils contribute to the longevity of your engine.

Versatility:

Whether you own a car, SUV, motorcycle, or operate heavy-duty machinery, we have a diverse range of motor oil products to cater to your specific needs. Trust UltreX Lubricants to provide the right oil for every application.

Miswa Chemicals has a rich history that spans more than four decades, beginning in 1979, it remains a family owned and operated business, specialising in Technical Fluid and Aerosol products.

Originally focussed on meeting the local demand for automotive products, Miswa Chemicals gradually expanded its operations and product offerings to become one of the leading manufacturers in the chemical industry. At Miswa Chemicals, we pride ourselves on our unwavering commitment to quality, safety, and sustainability.

Our manufacturing facilities adhere to rigorous industry standards and are equipped with the latest in filling-line technology ensuring the production of our high-quality products meets our customer's time frames. Through our strategic investments in R&D, state-of-the-art manufacturing facilities and a focus on continuous improvement with all our employees, Miswa Chemicals has gained recognition for its products and service. Our dedication to our customers has allowed us to establish strong partnerships with key clients, leading to strong, positive growth and market expansion.



Miswa Chemicals Ltd



Timeline



1979

Miswa Chemicals founded and begin production in Milton Keynes, England

1987

Miswa move to purpose built site in Northampton, England

1991

Aerosol lines commissioned

2005

Became an ISO 9001 accredited company

2010

Fast Track 100



Today, Miswa Chemicals stands as a renowned global player in the Automotive and Insecticide markets, offering wide product ranges under the Polygard Polytech, Ultrex and Kilit brands.

Miswa Chemicals has become a trusted partner for businesses seeking high-quality and environmentally friendly solutions. Our success is rooted in our outstanding teams and talented experts who are passionate about driving innovation and delivering results. We foster a culture of collaboration, continuous learning and accountability; empowering our employees to unleash their full potential and contribute to our collective success. As a socially responsible company, Miswa Chemicals is dedicated to minimising our environmental footprint and positively impacting the communities in which we operate. We actively invest in sustainable practices, research initiatives, and community development programs, aiming to create a better future for generations to come. With a steadfast commitment to excellence, innovation, and sustainable growth, Miswa Chemicals is poised to continue shaping the industry and creating value for our customers, employees and society.



Miswa Chemicals Ltd

Awards & recognition

JP Morgan Top 200 female powered businesses

The Independent International 100



Timeline





POLYGARD ULTREX MEO

SAE: 0W16 API: SP - ILSAC GF-6B

POLYGARD Ultrax 0W16 is a premium engine oil formulated with high-quality base stocks and advanced additives to ensure maximum protection and performance. Suitable for modern gasoline engines with direct injection, multi-valve, and turbocharger technologies, it delivers excellent wear protection, cleaner operation, and reliable performance under diverse driving conditions.

SPECIFICATIONS:

API SP
ILSAC GF-6B
ACEA C5
GM dexos1™ Gen 2
Honda HTO-06
Toyota & Lexus approval for hybrid and fuel-efficient engines

AVAILABLE PACKS



POLYGARD ULTREX MEO

SAE: 0W20 API: SP - ILSAC GF-6A

POLYGARD Ultrax 0W20 API SP ILSAC GF-6A is a fully synthetic, high-performance engine oil designed for modern gasoline engines, including turbocharged and direct-injection systems. It delivers excellent wear protection, improved fuel economy, and enhanced resistance to LSPI while keeping engines clean and efficient under all driving conditions.

SPECIFICATIONS:

API SP
ILSAC GF-6A
ACEA C5 / C6
GM dexos1™ Gen 2
Ford WSS-M2C947-A, WSS-M2C947-B1
WSS-M2C962-A1
Chrysler MS-6395

AVAILABLE PACKS



POLYGARD ULTREX MEO

SAE: 5W20 API: SP - ILSAC GF-6A

POLYGARD Ultrax 5W20 API SP ILSAC GF-6A is a premium synthetic engine oil formulated to meet the demands of modern gasoline engines. It provides superior wear protection, enhanced fuel efficiency, and excellent control against deposits and LSPI, ensuring clean, efficient, and reliable performance for vehicles equipped with turbochargers and direct injection systems.

SPECIFICATIONS:

API SP
ILSAC GF-6A
ACEA A1/B1, A5/B5
Ford WSS-M2C945-A
WSS-M2C945-B1
Chrysler MS-6395
GM dexos1™ Gen 2

AVAILABLE PACKS



POLYGARD ULTREX MEO

SAE: 5W30 API: SP - ILSAC GF-6A

POLYGARD Ultrax 5W30 API SP ILSAC GF-6A is a high-performance synthetic engine oil designed for modern gasoline engines, including turbocharged and direct-injection systems. It delivers excellent wear protection, superior fuel efficiency, and outstanding deposit control, keeping engines clean, smooth, and reliable under all driving conditions.

SPECIFICATIONS:

API SP
ILSAC GF-6B
ACEA C5
GM dexos1™ Gen 2
Honda HTO-06
Toyota & Lexus approval for hybrid and fuel-efficient engines

AVAILABLE PACKS





POLYGARD ULTREX MEO

SAE: 5W30 API: SP - ACEA C2/C3

POLYGARD Ultrax 5W30 API SP ACEA C2/C3 is a premium synthetic engine oil engineered for modern gasoline and light-duty diesel engines. It provides excellent wear protection, outstanding thermal and oxidation stability, and superior deposit control. Designed for engines with turbochargers and direct injection, it ensures reliable performance and long-lasting engine cleanliness.

SPECIFICATIONS:

API SP)
ACEA C2
ACEA C3
MB-Approval 229.51 / 229.52
BMW Longlife-04 (LL-04)
VW 504.00 / 507.00
Porsche C30 / A40
Fiat 9.55535-S2 / 9.55535-Z2
Chrysler MS-11106

AVAILABLE PACKS



POLYGARD ULTREX MEO


SAE: 5W30 API: SN

POLYGARD Ultrax 5W30 API SN is a high-quality synthetic engine oil designed for modern gasoline engines. It delivers excellent wear protection, superior oxidation stability, and keeps engines clean under diverse driving conditions. Ideal for vehicles with turbochargers and direct injection, it ensures smooth, reliable, and efficient engine performance.

SPECIFICATIONS:

API SN (MB-Approval 229.31 / 229.51 / 229.52
BMW Longlife-01 / Longlife-04 (LL-01 / LL-04)
VW 502.00 / 505.01
Audi / Skoda / Seat 502.00 / 505.01
Porsche A40
Ford WSS-M2C913-A / WSS-M2C946-A

AVAILABLE PACKS



POLYGARD ULTREX MEO

SAE: 5W40 API: SP - ACEA C3

POLYGARD Ultrax 5W40 API SP ACEA C3 is a premium synthetic engine oil engineered for modern gasoline and light-duty diesel engines. It provides excellent wear protection, outstanding thermal and oxidation stability, and superior deposit control. Designed for engines with turbochargers and direct injection, it ensures reliable performance and long-lasting engine cleanliness.

SPECIFICATIONS:

API SP
ACEA C3
MB-Approval 229.31, 229.51, 229.52
BMW Longlife-04 (LL-04)
VW 505.01 / 502.00 / 505.00
Porsche A40
Audi / Seat / Skoda 502.00 / 505.01

AVAILABLE PACKS



POLYGARD ULTREX MEO

SAE: 10W40 API: SN

POLYGARD Ultrax 10W40 API SN is a premium synthetic-blend engine oil formulated for modern gasoline engines. It provides excellent wear protection, strong deposit control, and reliable performance under a wide range of operating conditions. Ideal for engines with turbochargers and direct injection, it ensures smooth, efficient, and long-lasting engine operation.

SPECIFICATIONS:

API SN
MB-Approval 229.1 / 229.3
BMW Longlife-98 / LL-01
VW 501.01 / 505.00
Audi / Skoda / Seat 501.01 / 505.00
Porsche A3 / A40
Fiat 9.55535-G1 / 9.55535-Z2

AVAILABLE PACKS



POLYGARD

Guaranteed Performance

Ultrax

MOTOR ENGINE OIL



POLYGARD ULTREX MEO

SAE: 20W50 API: SL/CF

POLYGARD Ultrax 20W50 API SL/CF is a high-quality multi-grade engine oil suitable for gasoline and light-duty diesel engines. Formulated with premium base oils and advanced additives, it provides excellent wear protection, thermal stability, and deposit control. Ideal for older or high-mileage engines, it ensures reliable lubrication and consistent performance under severe driving conditions.

SPECIFICATIONS:

API SL / CF
MB-Approval 229.1 / 228.1
VW 501.01 / 505.00
Renault RN0700 / RN0710
Fiat 9.55535-D2 / G2
PSA B71 2295
Caterpillar TO-2
Allison C-3

AVAILABLE PACKS



Polygard Ultrax Gasoline Engine Oil a premium performance lubricant specially engineered to deliver superior protection and efficiency for modern gasoline engines. Formulated with high-quality base oils and advanced additive technology, it ensures outstanding wear control, minimizes deposits, and enhances engine cleanliness. Designed to meet the demanding requirements of today's driving conditions, Polygard Ultrax keeps engines running smoother, cooler, and longer.

Engineered for Maximum Performance.





POLYGARD ULTREX DEO

SAE: 20W50 API: CI-4/SL

POLYGARD Ultrax 20W50 API CI-4/SL is a high-performance engine oil formulated for heavy-duty diesel and gasoline engines. Made with premium base stocks and advanced additives, it provides excellent wear protection, superior thermal stability, and effective deposit control. It ensures reliable performance, smooth operation, and long engine life under severe and demanding conditions.

SPECIFICATIONS:

API CI-4 / SL
 MB-Approval 228.3 / 229.1 s)
 MAN M3275
 Volvo VDS-3 / VDS-2
 Renault RLD / RLD-2
 Cummins CES 20076 / 20077 / 20078
 MTU Type 2
 Deutz DQC III-10
 Caterpillar ECF-1a / ECF-2

AVAILABLE PACKS



POLYGARD ULTREX DEO


SAE: 10W40 API: CI-4/SN

POLYGARD Ultrax 10W40 API CI-4/SN is a premium engine oil designed for modern diesel and gasoline engines. Formulated with high-quality base stocks and advanced additives, it provides excellent wear protection, superior thermal stability, and effective deposit control. It ensures smooth, reliable, and efficient engine performance under a wide range of operating conditions.

SPECIFICATIONS:

API CI-4 / SN
 ACEA E9 / A3/B4
 MB-Approval 228.31 / 229.1
 MAN M3275
 Volvo VDS-3 / VDS-2
 Renault RLD / RLD-2
 Cummins CES 20076 / 20077 / 20078
 Mack EO-M Plus / EO-N Premium Plus
 Detroit Diesel 93K215 / 93K218

AVAILABLE PACKS



POLYGARD ULTREX DEO

SAE: 10W40 API: CK-4/SN

POLYGARD Ultrax 10W40 API CK-4/SN is a premium high-performance engine oil designed for modern diesel and gasoline engines. Formulated with advanced base stocks and additives, it delivers superior wear protection, excellent thermal stability, and effective deposit control. It ensures reliable engine performance, fuel efficiency, and long-lasting protection under severe and varied operating conditions.

SPECIFICATIONS:

API CK-4 / SN
 ACEA E9 / E7 / A3/B4
 MB-Approval 228.31 / 228.3 / 228.1
 MAN M3575
 Volvo VDS-4 / VDS-3
 Renault RLD-3 / RLD-2
 Mack EO-O Premium Plus / EO-M Plus
 Scania LDF-4 / LDF-3 / LDF-2

AVAILABLE PACKS



POLYGARD ULTREX DEO

SAE: 15W40 API: CI-4/SL

POLYGARD Ultrax 15W40 API CI-4/SL is a high-performance diesel engine oil designed for heavy-duty and light-duty engines. Formulated with premium base stocks and advanced additives, it provides excellent wear protection, superior thermal stability, and outstanding deposit control. It ensures reliable engine performance, longer service life, and smooth operation under severe and varied driving conditions.

SPECIFICATIONS:

API CI-4 / SL
 ACEA E7 / E5 / A3/B4
 MB-Approval 228.3 / 228.1
 MAN M3275
 Volvo VDS-3 / VDS-2
 Cummins CES 20076 / 20077 / 20078
 Mack EO-M Plus / EO-N

AVAILABLE PACKS





TRANSMISSION FLUID

ATF TYPE-A

POLYGARD Ultrax ATF TYPE-A is a high-quality automatic transmission fluid specifically formulated for Type-A systems. It delivers smooth shifting, reliable friction performance, and excellent anti-wear protection. Engineered for older and classic automatic transmissions, it ensures long service life, consistent operation, and optimal performance across a wide range of temperatures and driving conditions.

AVAILABLE PACKS



TRANSMISSION FLUID

ATF DEXRON-III

POLYGARD Ultrax ATF DEXRON III is a premium automatic transmission fluid formulated to meet Dexron III specifications. It provides excellent friction stability, smooth shifting, and superior wear protection. Designed for automatic transmissions requiring Dexron III, it ensures reliable performance, extended transmission life, and optimal operation across a wide range of driving conditions and temperatures.

AVAILABLE PACKS



TRANSMISSION FLUID

ATF DEXRON-VI

POLYGARD Ultrax ATF DEXRON VI is a premium automatic transmission fluid formulated to meet the latest Dexron VI specifications. It provides excellent friction stability, smooth shifting, and superior wear protection. Designed for modern automatic transmissions, it ensures reliable performance, extended transmission life, and optimal operation under a wide range of all driving conditions.

AVAILABLE PACKS





POLYGARD ULTREX GEAR OIL

SAE: 90 API: GL-5

POLYGARD Ultrax SAE 90 API GL-5 is a high-quality gear oil designed for manual transmissions and differentials operating under severe conditions. Formulated with premium base oils and advanced additives, it provides excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability, ensuring smooth operation and long-lasting performance.

AVAILABLE PACKS



POLYGARD ULTREX GEAR OIL

SAE: 80W90 API: GL-5

POLYGARD Ultrax 80W90 API GL-5 is a high-performance gear oil designed for manual transmissions and differentials. Formulated with premium base oils and advanced additives, it provides excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability. It ensures smooth operation, reduced friction, and long-lasting performance under severe driving conditions.

AVAILABLE PACKS



POLYGARD ULTREX GEAR OIL

SAE: 85W140 API: GL-5

POLYGARD Ultrax 85W140 API GL-5 is a premium fully synthetic gear oil designed for manual transmissions and differentials. Formulated with advanced base oils and additives, it delivers excellent wear protection, high load-carrying capacity, and superior thermal and oxidation stability. It ensures smooth operation, reduced friction, and long-lasting performance under severe and varied driving conditions.

AVAILABLE PACKS





POLYGARD ULTREX INDUSTRIAL GEAR OIL

ISO 150

POLYGARD ULTREX ISO 150 is a high-performance industrial gear oil formulated to provide outstanding protection and efficiency in enclosed gear systems. Blended with premium base oils and fortified with advanced extreme-pressure additives, it ensures excellent wear protection, high load-carrying capacity, and resistance to rust and corrosion. Its superior oxidation and thermal stability help extend oil life, reduce downtime, and deliver reliable performance under heavy-duty operating conditions.

SPECIFICATIONS:

ISO VG 150 (ISO viscosity grade)
DIN 51517 Part 3
AGMA 9005-E02 (EP)
David Brown S1.53.101
US Steel 224
CM P-59, P-74, P-35, P-76
AGMA EP 4 level

AVAILABLE PACKS



POLYGARD ULTREX INDUSTRIAL GEAR OIL

ISO 220

POLYGARD ULTREX ISO 220 is a premium industrial gear oil engineered for heavy-duty enclosed gear systems operating under high loads and harsh conditions. Formulated with high-quality base oils and extreme-pressure additives, it offers exceptional wear protection, strong load-carrying ability, and superior resistance to rust and corrosion. With excellent oxidation and thermal stability, it ensures longer oil life, smoother gear operation, and reliable performance even in demanding industrial environments.

SPECIFICATIONS:

ISO VG 220 (ISO viscosity grade)
DIN 51517 Part 3
AGMA 9005-E02 (EP)
David Brown S1.53.101
US Steel 224
Cincinnati Machine P-59, P-63, P-74, P-77
AGMA EP 5 level

AVAILABLE PACKS



POLYGARD ULTREX INDUSTRIAL GEAR OIL

ISO 320

POLYGARD ULTREX ISO 320 is a heavy-duty industrial gear oil designed for enclosed gear systems operating under severe loads and high-pressure conditions. Developed with premium base oils and fortified with extreme-pressure additives, it delivers outstanding wear protection, excellent load-carrying capacity, and strong resistance to rust and corrosion. Its superior oxidation and thermal stability extend oil life, minimize downtime, and ensure smooth and reliable gear performance in demanding industrial applications.

SPECIFICATIONS:

ISO VG 320 (ISO viscosity grade)
DIN 51517 Part 3
AGMA 9005-E02 (EP)
David Brown S1.53.101
US Steel 224
CM P-59, P-63, P-74, P-77
AGMA EP 6 level

AVAILABLE PACKS





POLYGARD ULTREX TRANSMISSION OIL

SAE: 10W

POLYGARD ULTREX 10W API GL-4 is a high-quality transmission oil formulated to meet the lubrication requirements of manual gearboxes and certain axle systems. Blended with refined base oils and balanced additives, it offers reliable protection against wear, rust, and corrosion while ensuring effective lubrication in moderate operating conditions. Its excellent thermal stability and oxidation resistance help maintain oil integrity, while the smooth shifting performance reduces friction and extends component life.

SPECIFICATIONS:

API GL-4
Allison C-4
Caterpillar TO-2
Komatsu KES 07.868.1
ZF TE-ML 03E, 05F, 06K, 07D, 21F
MAN 271
Denison HF-0, HF-1, HF-2

AVAILABLE PACKS



POLYGARD ULTREX TRANSMISSION OIL

SAE: 30W

POLYGARD ULTREX 30W API GL-4 is a high-quality gear oil specially formulated for manual transmissions and axle systems requiring API GL-4 performance. Developed with premium base oils and advanced additives, it provides dependable wear protection, excellent rust and corrosion resistance, and reliable lubrication under moderate loads. Its superior thermal stability and oxidation control ensure consistent performance, smooth gear operation, and extended service life.

SPECIFICATIONS:

API GL-4
API GL-5
Caterpillar TO-2 / TO-4
Allison C-4 / TES 389 / TES 439
ZF TE-ML 02B / 05A / 07A / 12E / 16B
MAN 341 Type E2 / Z2
Vickers M-2950-S / I-286-S

AVAILABLE PACKS



POLYGARD ULTREX TRANSMISSION OIL


SAE: 50W

POLYGARD ULTREX 50W API GL-4 is a premium gear oil designed for manual transmissions and gear systems operating under moderate to heavy conditions. Formulated with high-quality base oils and advanced additive technology, it delivers excellent wear protection, effective rust and corrosion resistance, and reliable lubrication at elevated temperatures. Its strong thermal stability and oxidation resistance ensure smooth gear operation, reduced friction, and long-lasting performance.

SPECIFICATIONS:

API GL-4
API GL-5
Caterpillar TO-2 / TO-4
Allison C-4 / TES 389 / TES 439
ZF TE-ML 02B / 05A / 07A / 12E / 16B
MAN 341 Type E2 / Z2
Denison HF-0 / HF-1 / HF-2

AVAILABLE PACKS





POLYGARD ULTREX HYDRAULIC OIL

AW-10

POLYGARD Ultrax Hydraulic Oil AW 10 is a premium anti-wear hydraulic fluid designed for high-pressure hydraulic systems. Formulated with superior base oils and advanced additives, it provides excellent wear protection, oxidation stability, and rust and corrosion prevention. It ensures smooth, reliable operation, efficient power transmission, and long-lasting performance under severe operating conditions.

AVAILABLE PACKS



POLYGARD ULTREX HYDRAULIC OIL

ISO 32

POLYGARD Ultrax Hydraulic Oil ISO 32 is a high-quality anti-wear hydraulic oil designed for precision hydraulic systems operating under light to moderate conditions. Formulated with premium base oils and advanced additive technology, it offers reliable wear protection, excellent rust and corrosion resistance, and effective foam suppression. Its strong oxidation and thermal stability help extend oil life, reduce downtime, and ensure smooth and efficient operation of pumps, valves, and other hydraulic components.

AVAILABLE PACKS



POLYGARD ULTREX HYDRAULIC OIL

ISO 46

POLYGARD Ultrax Hydraulic Oil ISO 46 is a premium anti-wear hydraulic oil engineered for high-performance hydraulic systems in industrial and mobile equipment. Blended with high-quality base oils and advanced additive technology, it provides excellent wear protection, superior rust and corrosion resistance, and reliable foam control. With outstanding oxidation and thermal stability, it extends oil life, minimizes maintenance, and ensures smooth, efficient operation of pumps, valves, and hydraulic components under demanding operating conditions.

AVAILABLE PACKS



POLYGARD ULTREX HYDRAULIC OIL

ISO 68

POLYGARD Ultrax Hydraulic Oil ISO 68 is a high-performance anti-wear hydraulic oil designed for use in a wide range of industrial and mobile hydraulic systems. Formulated with premium base oils and fortified with advanced additives, it provides superior wear protection, excellent rust and corrosion resistance, and effective foam control. Its outstanding oxidation and thermal stability help extend oil life, reduce maintenance, and ensure smooth, efficient operation of hydraulic pumps, motors, and control systems even under demanding conditions.

AVAILABLE PACKS





POLYGARD ULTREX COOLANT

ANTIFREEZE COOLANT 40%

POLYGARD Ultrax Coolant 40% is a high-performance engine coolant and antifreeze formulated to provide optimal protection for modern engines. It prevents overheating, corrosion, and scale formation while ensuring efficient heat transfer. Compatible with a wide range of metals and alloys, it delivers reliable engine cooling and protection in both high and low-temperature conditions.

AVAILABLE PACKS



POLYGARD ULTREX COOLANT

ANTIFREEZE COOLANT 50%

POLYGARD Ultrax Coolant 50% is a high-performance engine coolant and antifreeze formulated to provide optimal protection for modern engines. It prevents overheating, corrosion, and scale formation while ensuring efficient heat transfer. Compatible with a wide range of metals and alloys, it delivers reliable engine cooling and protection in both high and low-temperature conditions.

AVAILABLE PACKS



POLYGARD ULTREX COOLANT

ANTIFREEZE COOLANT 100%

POLYGARD Ultrax Coolant 100% is a high-performance engine coolant and antifreeze formulated to provide optimal protection for modern engines. It prevents overheating, corrosion, and scale formation while ensuring efficient heat transfer. Compatible with a wide range of metals and alloys, it delivers reliable engine cooling and protection in both high and low-temperature conditions.

AVAILABLE PACKS






POLYGARD ULTREX 4T ENGINE OIL

SAE: 10W40 API: SN JASO MA2

POLYGARD Ultrax 10W40 API SN JASO MA2 is a high-performance engine oil specially formulated for motorcycles and scooters. It provides excellent wear protection, smooth clutch operation, and superior thermal stability. Designed to keep engines and transmissions clean, it ensures reliable performance, fuel efficiency, and long-lasting protection under varied riding conditions.

AVAILABLE PACKS



POLYGARD ULTREX 4T ENGINE OIL

SAE: 10W40 API: SL JASO MA/MA2

POLYGARD Ultrax 10W40 API SL JASO MA/MA2 is a high-quality engine oil formulated for motorcycles and scooters. It delivers excellent wear protection, smooth clutch engagement, and superior thermal stability. Designed to keep engines and transmissions clean, it ensures reliable performance, fuel efficiency, and long-lasting protection under a wide range of riding and operating conditions.

AVAILABLE PACKS




POLYGARD ULTREX 4T ENGINE OIL

SAE: 15W50 API: SN JASO MA/MA2

POLYGARD Ultrax 15W50 API SN JASO MA/MA2 is a premium engine oil designed for motorcycles and scooters. It provides excellent wear protection, smooth clutch performance, and superior thermal stability. Formulated to keep engines and transmissions clean, it ensures reliable operation, fuel efficiency, and long-lasting protection under varied riding conditions.

AVAILABLE PACKS




POLYGARD ULTREX 4T ENGINE OIL

SAE: 20W50 API: SL JASO MA/MA2

POLYGARD Ultrax 20W50 API SL JASO MA/MA2 is a high-performance engine oil formulated for motorcycles and scooters. It delivers excellent wear protection, smooth clutch operation, and superior thermal and oxidation stability. Designed to keep engines and transmissions clean, it ensures reliable performance, fuel efficiency, and long-lasting protection under all riding conditions.

AVAILABLE PACKS



COMMITMENT TO SUSTAINABILITY

At Ultrax Lubricants, we believe in responsible business practices and environmental stewardship.

We are dedicated to reducing our ecological footprint and have implemented sustainable manufacturing processes.

Our motor oils are designed to meet or exceed environmental regulations, ensuring a greener future for all.



LUBRICANT MASTERS



Guaranteed Performance

Ultrex